


**BlackStack Brewing**  
755 Prior Ave N, STE 110  
Saint Paul, MN 55104  
bella.ludwig@blackstackbrewing.com  
(651) 373-5663

Sample: 2404AIT0452.0988

Strain: N/A  
Batch#: ; Batch Size: g  
Sample Received: 04/22/2024; Report Created: 05/06/2024

**Real Trees King Size Strawberry Kiwi 1**  
Ingestible, Beverage



|   |   |   |  |
|---|---|---|--|
|  | <p><b>0.002%</b><br/>10.8 mg/container<br/>5.4 mg/serving</p> <p><b>Total THC</b></p> | <p><b>&lt;LOQ</b><br/>&lt;LOQ<br/>&lt;LOQ</p> <p><b>Total CBD</b></p> | <p><b>0.002%</b><br/>10.8 mg/container<br/>5.4 mg/serving</p> <p><b>Total Cannabinoids</b></p> |
|---|---|---|--|

## Cannabinoids

Date Tested: 04/23/2024

| Analytes | %     | mg/g  | mg/ml | mg/serving | LOQ   |
|----------|-------|-------|-------|------------|-------|
| CBC      | <LOQ  | <LOQ  | <LOQ  | <LOQ       | 0.001 |
| CBD      | <LOQ  | <LOQ  | <LOQ  | <LOQ       | 0.001 |
| CBDa     | <LOQ  | <LOQ  | <LOQ  | <LOQ       | 0.001 |
| CBDV     | <LOQ  | <LOQ  | <LOQ  | <LOQ       | 0.001 |
| CBG      | <LOQ  | <LOQ  | <LOQ  | <LOQ       | 0.001 |
| CBGa     | <LOQ  | <LOQ  | <LOQ  | <LOQ       | 0.001 |
| CBL      | <LOQ  | <LOQ  | <LOQ  | <LOQ       | 0.001 |
| CBN      | <LOQ  | <LOQ  | <LOQ  | <LOQ       | 0.001 |
| Δ8-THC   | <LOQ  | <LOQ  | <LOQ  | <LOQ       | 0.001 |
| Δ9-THC   | 0.002 | 0.023 | 0.023 | 5.404      | 0.001 |
| THCa     | <LOQ  | <LOQ  | <LOQ  | <LOQ       | 0.001 |
| THCVa    | <LOQ  | <LOQ  | <LOQ  | <LOQ       | 0.001 |

Method: HPLC  
Total THC = THCa \* 0.877 + Δ9-THC  
Total CBD = CBDa \* 0.877 + CBD

Total Cannabinoids represents the sum of all cannabinoids in the table above.  
Results are reported on a dry weight basis: Cannabinoid % / (1.0 - moisture content % / 100) = Dry weight cannabinoids %  
LOQ = Limit of Quantitation

## Summary

|                                  |                           |
|----------------------------------|---------------------------|
| <b>Pass</b><br>Residual Solvents | <b>Pass</b><br>Pesticides |
| <b>Pass</b><br>Heavy Metals      | <b>Pass</b><br>Microbials |

4150 98th Ave S  
Fargo, ND  
(888) 897-4367  
www.hempinspection.com



  
Bradley Towey

Senior Analytical Chemist



Confident LIMS  
All Rights Reserved  
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

## BlackStack Brewing

755 Prior Ave N, STE 110  
Saint Paul, MN 55104  
bella.ludwig@blackstackbrewing.com  
(651) 373-5663

Sample: 2404AIT0452.0988

Strain: N/A  
Batch#: ; Batch Size: g  
Sample Received: 04/22/2024; Report Created: 05/06/2024

## Real Trees King Size Strawberry Kiwi 1

Ingestible, Beverage



## Microbials

Pass

Date Tested: 04/26/2024

| Analyte                              | Limit | Units        | Status      |
|--------------------------------------|-------|--------------|-------------|
| Aerobic Bacteria                     | 1     | CFU/g        | NT          |
| Bile-Tolerant Gram-Negative Bacteria | 1     | NR           | NT          |
| Coliforms                            | 1     | NR           | NT          |
| E. Coli                              | 1     | Not Detected | Not Present |
| Salmonella                           | 1     | Not Detected | Not Present |
| Yeast & Mold                         | 1000  | <LOQ         | Not Present |

Method: qPCR

## BlackStack Brewing

755 Prior Ave N, STE 110  
Saint Paul, MN 55104  
bella.ludwig@blackstackbrewing.com  
(651) 373-5663

Sample: 2404AIT0452.0988

Strain: N/A  
Batch#: ; Batch Size: g  
Sample Received: 04/22/2024; Report Created: 05/06/2024

## Real Trees King Size Strawberry Kiwi 1

Ingestible, Beverage



## Heavy Metals

Pass

Date Tested: 04/26/2024

| Analyte | LOQ  | Limit | Mass | Status |
|---------|------|-------|------|--------|
|         | PPM  | PPM   | PPM  |        |
| Arsenic | 0.10 | 1.50  | <LOQ | Pass   |
| Cadmium | 0.10 | 0.50  | <LOQ | Pass   |
| Lead    | 0.10 | 0.50  | <LOQ | Pass   |
| Mercury | 0.10 | 3.00  | <LOQ | Pass   |



Method: ICPMS

**BlackStack Brewing**  
755 Prior Ave N, STE 110  
Saint Paul, MN 55104  
bella.ludwig@blackstackbrewing.com  
(651) 373-5663

**Sample: 2404AIT0452.0988**

Strain: N/A  
Batch#: ; Batch Size: g  
Sample Received: 04/22/2024; Report Created: 05/06/2024

**Real Trees King Size Strawberry Kiwi 1**  
Ingestible, Beverage



## Pesticides

Pass

Date Tested: 04/26/2024

| Analyte             | LOQ  | Limit | Mass | Status |
|---------------------|------|-------|------|--------|
|                     | PPM  | PPM   | PPM  |        |
| Abamectin           | 0.01 | 0.50  | <LOQ | Pass   |
| Acephate            | 0.01 | 0.40  | <LOQ | Pass   |
| Acequinocyl         | 0.01 | 2.00  | <LOQ | Pass   |
| Acetamiprid         | 0.01 | 0.20  | <LOQ | Pass   |
| Aldicarb            | 0.01 | 0.40  | <LOQ | Pass   |
| Azoxystrobin        | 0.01 | 0.20  | <LOQ | Pass   |
| Bifenazate          | 0.01 | 0.20  | <LOQ | Pass   |
| Bifenthrin          | 0.01 | 0.20  | <LOQ | Pass   |
| Boscalid            | 0.01 | 0.40  | <LOQ | Pass   |
| Carbaryl            | 0.01 | 0.20  | <LOQ | Pass   |
| Carbofuran          | 0.01 | 0.20  | <LOQ | Pass   |
| Chlorantraniliprole | 0.01 | 0.20  | <LOQ | Pass   |
| Chlorfenapyr        | 0.01 | 1.00  | <LOQ | Pass   |
| Chlorpyrifos        | 0.01 | 0.20  | <LOQ | Pass   |
| Clofentezine        | 0.01 | 0.20  | <LOQ | Pass   |
| Cyfluthrin          | 0.01 | 1.00  | <LOQ | Pass   |
| Cypermethrin        | 0.01 | 1.00  | <LOQ | Pass   |
| Daminozide          | 0.01 | 1.00  | <LOQ | Pass   |
| DDVP                | 0.01 | 1.00  | <LOQ | Pass   |
| Diazinon            | 0.01 | 0.20  | <LOQ | Pass   |
| Dimethoate          | 0.01 | 0.20  | <LOQ | Pass   |
| Ethoprophos         | 0.01 | 0.20  | <LOQ | Pass   |
| Etofenprox          | 0.01 | 0.40  | <LOQ | Pass   |
| Etoxazole           | 0.01 | 0.20  | <LOQ | Pass   |
| Fenoxycarb          | 0.01 | 0.20  | <LOQ | Pass   |

Methods: LCMS and GCMS

4150 98th Ave S  
Fargo, ND  
(888) 897-4367  
www.hempinspection.com



*Bradley Towey*  
Bradley Towey

Senior Analytical Chemist



Confident LIMS  
All Rights Reserved  
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

**BlackStack Brewing**  
755 Prior Ave N, STE 110  
Saint Paul, MN 55104  
bella.ludwig@blackstackbrewing.com  
(651) 373-5663

**Sample: 2404AIT0452.0988**

Strain: N/A  
Batch#: ; Batch Size: g  
Sample Received: 04/22/2024; Report Created: 05/06/2024

**Real Trees King Size Strawberry Kiwi 1**  
Ingestible, Beverage



## Pesticides

Pass

Date Tested: 04/26/2024

| Analyte            | LOQ  | Limit | Mass | Status |
|--------------------|------|-------|------|--------|
|                    | PPM  | PPM   | PPM  |        |
| Fenpyroximate      | 0.01 | 0.40  | <LOQ | Pass   |
| Fipronil           | 0.01 | 0.40  | <LOQ | Pass   |
| Fonicamid          | 0.01 | 1.00  | <LOQ | Pass   |
| Fludioxonil        | 0.01 | 0.40  | <LOQ | Pass   |
| Hexythiazox        | 0.01 | 1.00  | <LOQ | Pass   |
| Imazalil           | 0.01 | 0.20  | <LOQ | Pass   |
| Imidacloprid       | 0.01 | 0.40  | <LOQ | Pass   |
| Kresoxim Methyl    | 0.01 | 0.40  | <LOQ | Pass   |
| Malathion          | 0.01 | 0.20  | <LOQ | Pass   |
| Metalaxyl          | 0.01 | 0.20  | <LOQ | Pass   |
| Methiocarb         | 0.01 | 0.20  | <LOQ | Pass   |
| Methomyl           | 0.01 | 0.40  | <LOQ | Pass   |
| Methyl Parathion   | 0.01 | 0.20  | <LOQ | Pass   |
| MGK-264            | 0.01 | 0.20  | <LOQ | Pass   |
| Myclobutanil       | 0.01 | 0.20  | <LOQ | Pass   |
| Naled              | 0.01 | 0.50  | <LOQ | Pass   |
| Oxamyl             | 0.01 | 1.00  | <LOQ | Pass   |
| Paclobutrazol      | 0.01 | 0.40  | <LOQ | Pass   |
| Permethrins        | 0.01 | 0.20  | <LOQ | Pass   |
| Phosmet            | 0.01 | 0.20  | <LOQ | Pass   |
| Piperonyl Butoxide | 0.01 | 2.00  | <LOQ | Pass   |
| Prallethrin        | 0.01 | 0.20  | <LOQ | Pass   |
| Propiconazole      | 0.01 | 0.40  | <LOQ | Pass   |
| Propoxur           | 0.01 | 0.20  | <LOQ | Pass   |
| Pyrethrins         | 0.01 | 1.00  | <LOQ | Pass   |

Methods: LCMS and GCMS

4150 98th Ave S  
Fargo, ND  
(888) 897-4367  
www.hempinspection.com



*Bradley Towey*  
Bradley Towey



Confident LIMS  
All Rights Reserved  
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

## BlackStack Brewing

755 Prior Ave N, STE 110  
Saint Paul, MN 55104  
bella.ludwig@blackstackbrewing.com  
(651) 373-5663

Sample: 2404AIT0452.0988

Strain: N/A  
Batch#: ; Batch Size: g  
Sample Received: 04/22/2024; Report Created: 05/06/2024

## Real Trees King Size Strawberry Kiwi 1

Ingestible, Beverage



## Pesticides

Pass

Date Tested: 04/26/2024

| Analyte         | LOQ  | Limit | Mass | Status |
|-----------------|------|-------|------|--------|
|                 | PPM  | PPM   | PPM  |        |
| Pyridaben       | 0.01 | 0.20  | <LOQ | Pass   |
| Spinosad        | 0.01 | 0.20  | <LOQ | Pass   |
| Spiromesifen    | 0.01 | 0.20  | <LOQ | Pass   |
| Spirotetramat   | 0.01 | 0.20  | <LOQ | Pass   |
| Spiroxamine     | 0.01 | 0.40  | <LOQ | Pass   |
| Tebuconazole    | 0.01 | 0.40  | <LOQ | Pass   |
| Thiacloprid     | 0.01 | 0.20  | <LOQ | Pass   |
| Thiamethoxam    | 0.01 | 0.20  | <LOQ | Pass   |
| Trifloxystrobin | 0.01 | 0.20  | <LOQ | Pass   |

Methods: LCMS and GCMS

4150 98th Ave S  
Fargo, ND  
(888) 897-4367  
www.hempinspection.com



  
Bradley Towey

Senior Analytical Chemist



Confident LIMS  
All Rights Reserved  
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

## BlackStack Brewing

 755 Prior Ave N, STE 110  
 Saint Paul, MN 55104  
 bella.ludwig@blackstackbrewing.com  
 (651) 373-5663

Sample: 2404AIT0452.0988

 Strain: N/A  
 Batch#: ; Batch Size: g  
 Sample Received: 04/22/2024; Report Created: 05/06/2024

## Real Trees King Size Strawberry Kiwi 1

Ingestible, Beverage



## Residual Solvents

Pass

Date Tested: 04/26/2024

| Analyte           | LOQ      | Limit    | Mass | Status |
|-------------------|----------|----------|------|--------|
|                   | PPM      | PPM      | PPM  |        |
| 1,4-Dioxane       | 71.250   | 380.000  | <LOQ | Pass   |
| 2-Butanol         | 437.500  | 5000.000 | <LOQ | Pass   |
| 2-Ethoxy-Ethanol  | 30.000   | 160.000  | <LOQ | Pass   |
| 2-Propanol IPA    | 437.500  | 5000.000 | <LOQ | Pass   |
| Acetone           | 437.500  | 5000.000 | <LOQ | Pass   |
| Acetonitrile      | 76.880   | 410.000  | <LOQ | Pass   |
| Benzene           | 0.375    | 2.000    | <LOQ | Pass   |
| Butanes           | 156.300  | 5000.000 | <LOQ | Pass   |
| Cumene            | 13.130   | 70.000   | <LOQ | Pass   |
| Cyclohexane       | 727.500  | 3880.000 | <LOQ | Pass   |
| Dichloromethane   | 112.500  | 600.000  | <LOQ | Pass   |
| Ethanol           | 437.500  | 5000.000 | <LOQ | Pass   |
| Ethyl-Acetate     | 437.500  | 5000.000 | <LOQ | Pass   |
| Ethyl-Ether       | 437.500  | 5000.000 | <LOQ | Pass   |
| Ethylene Glycol   | 116.300  | 620.000  | <LOQ | Pass   |
| Ethylene Oxide    | 9.375    | 50.000   | <LOQ | Pass   |
| Heptane           | 437.500  | 5000.000 | <LOQ | Pass   |
| Hexanes           | 217.500  | 290.000  | <LOQ | Pass   |
| Isopropyl-Acetate | 437.500  | 5000.000 | <LOQ | Pass   |
| Methanol          | 312.500  | 3000.000 | <LOQ | Pass   |
| Pentanes          | 953.100  | 5000.000 | <LOQ | Pass   |
| Propane           | 31.250   | 5000.000 | <LOQ | Pass   |
| Tetrahydrofuran   | 135.000  | 720.000  | <LOQ | Pass   |
| Toluene           | 166.900  | 890.000  | <LOQ | Pass   |
| Xylenes           | 1221.000 | 2170.000 | <LOQ | Pass   |

Method: GCMS (Headspace)

 4150 98th Ave S  
 Fargo, ND  
 (888) 897-4367  
 www.hempinspection.com

  
 Bradley Towey

Senior Analytical Chemist

 Confident LIMS  
 All Rights Reserved  
 (866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.